

CERTIFIED METAL FINISHING

HARDCOAT ANODIZE (HC) COLOR SAMPLES

(6061)

HARDCOAT ANODIZE (TYPE III)
THICKNESS 0.0005"



HARDCOAT ANODIZE (TYPE III)
THICKNESS 0.001"



HARDCOAT ANODIZE (TYPE III)
THICKNESS 0.0015"



HARDCOAT ANODIZE (TYPE III)
THICKNESS 0.002"



HARDCOAT ANODIZE (TYPE III)
"BLACK" DYE APPLICATION



HARDCOAT ANODIZE (TYPE III)
"GOLD" DYE APPLICATION



HARDCOAT ANODIZE (TYPE III)
"RED" DYE APPLICATION



HARDCOAT ANODIZE (TYPE III)
"BLUE" DYE APPLICATION



HARDCOAT ANODIZE (TYPE III)
WITH DICHROMATE SEAL
NO DYE APPLICATION

Phone: (954) 979-0707

Address: 1420 SW 28th Ave, Pompano Beach, Fl, 33069

CERTIFIED METAL FINISHING

HARDCOAT ANODIZE (HC) THICKNESS SAMPLES NATURAL (6061)



HARDCOAT
ANNODIZE
(TYPE III)
THICKNESS
0.0005"

HARDCOAT
ANNODIZE
(TYPE III)
THICKNESS
0.001"

HARDCOAT
ANNODIZE
(TYPE III)
THICKNESS
0.0015"

HARDCOAT
ANNODIZE
(TYPE III)
THICKNESS
0.002"

Phone: (954) 979-0707

Address: 1420 SW 28th Ave, Pompano Beach, Fl, 33069

CERTIFIED METAL FINISHING

SULFURIC ACID ANODIZE (SAA) COLOR SAMPLES

(5052)

SULFURIC ACID ANODIZE (TYPE II)
WITH HOT WATER SEAL "CLEAR"



SULFURIC ACID ANODIZE (TYPE II)
WITH DICHROMATE SEAL
NO DYE APPLICATION




SULFURIC ACID ANODIZE (TYPE II)
WITH NICKEL ACETATE SEAL
"GOLD" DYE APPLICATION



SULFURIC ACID ANODIZE (TYPE II)
WITH NICKEL ACETATE SEAL
"BLUE" DYE APPLICATION



SULFURIC ACID ANODIZE (TYPE II)
WITH NICKEL ACETATE SEAL
"RED" DYE APPLICATION




SULFURIC ACID ANODIZE (TYPE II)
WITH NICKEL ACETATE SEAL
"BLACK" DYE APPLICATION

Phone: (954) 979-0707
Address: 1420 SW 28th Ave, Pompano Beach, FL, 33069

CERTIFIED METAL FINISHING

SULFURIC ACID ANODIZE (SAA) COLOR SAMPLES

(5052)



Phone: (954) 979-0707
Address: 1420 SW 28th Ave, Pompano Beach, FL, 33069